B R O C H U R E

Feed Screening



Wedge Wire Screen Tubes for Feed Screening



Introduction

The wedge wire screen rotary drum is used for separating solids from liquids in dry feed applications. In separation processing, the feed is pumped onto the inside of the rotary drum, where the liquid and smaller fibres or solids are allowed to pass through the screen, while the oversize fibres or solids be blocked on the wedge wire surface and move to the discharge end of the drum.

Products

Reverse formed wedge wire screen pipe (internal circumferential wire with external axial support rods) is a kind of strainers that flow from inside to outside filtration, with smooth working surface inside.

Internal axial wedge wire screen pipe (internal axial wire with external circumferential support rods) is a kind of strainers that flow from inside to outside filtration.



Idea for	Screen Size	Features & Benefits
 Sugar industry Winery Beverage Industries Pulp & Paper 	 DN 250 mm DN 610 mm DN 910 mm DN 1200 mm 	 V type wire, non-clogging High open area, large flows Self-cleaning, reduced maintenance cost Construsted with 304 stainless steel

Technical Parameters

When odering, please specify:

1. Wedge Wire Screen Type

Reverse formed wedge wire screen pipe, Internal axial wedge wire screen pipe

2. Slot Hole


3. Profile Wire

Triangle wire


4. Support Rod

Triangle wire, round rod, flat bar, wedge wire

5. Support Rod Pitch



Reverse formed wedge wire screen pipe



Internal axial wedge wire screen pipe

Headquarters

Web Wire Mesh Co.,Ltd. No.12 Weier Rd. EZD Industrial Park Hebei, China

Tel: +86 0318 7568801 Fax: +86 0318 7568802

We b site: www. we bwe dge wire. com

Branch

Web Wire Mesh Co.,Ltd.-SJZ NO 2701 CYC Shijiazhuang City Hebei, China Tel: +86 0311 89255081

E-mail: zhao@webwirecloth.com



Anping Web Wire Mesh Co.,Ltd.