B R O C H U R E

# **Manure Separation**



# Wedge Wire Screen for Manure Separation



# Why should separate manure?

Raw manure is inconvenient to transports and store, if not separated and stored properly, they will be an environmental hazard. Separating out manure solids from liquid slurry reduces the volume of manure storage The interval between cleaning /sludge removal can be extended and there is typically a reduction in the maintenance and renewal requirement of the storage tank.

The farmer gains greater flexibility in the disposal and use of waste. The liquid slurry is easier to handle, can be pumped more easily by irrigation or soil injection equipment.

The manure solids include higher concentrations of elements such as phosphorus, copper and zinc thus reducing the nutrient overloading on regularly irrigated land. They can be more easily transported and spread on fields. They can be stored more easily with less of an odour problem.



Idea for	Screen Size	Features & Benefits
Raw manure	• DN 250 mm	<ul> <li>The separated solid particles can be sold as agricultural fertilizers</li> <li>Solids after separation are easily stacked and remain stable when stored</li> <li>The separated liquid can irrigate farmland</li> <li>Minimize storage costs</li> <li>Reduce odor and improve sanitation</li> </ul>

# **Technical Parameters**

# When odering, please specify:

## 1. Wedge Wire Screen Type

Wedge wire cylindrical screen, sieve bend screen

#### 2. Slot Hole


#### 3. Profile Wire

Triangle wire

### 4. Support Rod

Triangle wire, round rod, flat bar, wedge wire

### 5. Support Rod Pitch



Sieve Bend Screen

#### Headquarters

Web Wire Mesh Co.,Ltd. No.12 Weier Rd. **EZD Industrial Park** Hebei, China

Tel: +86 0318 7568801 Fax: +86 0318 7568802

Website:www.webwedgewire.com

#### **Branch**

Web Wire Mesh Co.,Ltd.-SJZ NO 2701 CYC Shijiazhuang City Hebei, China Tel: +86 0311 89255081

E-mail: zhao@webwirecloth.com



Anping Web Wire Mesh Co.,Ltd.