

B R O C H U R E

< < < < < <

Resin Traps



Anping Web Wire Mesh Co.,Ltd.

Wedge Wire Screen Tube for Resin Traps



Introduction

Wedge wire screen tube with flange is a kind of resin traps, it is also called strainers, typically resin traps are located in-line and downstream of either ion exchange units or activated carbon units, and used for water lines to capture solids, prevent expensive media from entering downstream.

The flow is generally from the outside to the inside.

These traps with a continuous open slot, they provide sufficient open area to let process flow move smoothly, while minimizing pressure loss through the screen.

Resin traps prevent loss of expensive resins, cross contamination of resins, damage to pump, and reduce environmental damage.



Idea for		Screen Size	Features & Benefits
- Anion, mixed bed, and selective ion exchange resin systems - Commercial and industrial water softeners - Activated carbon filters		• DN 2"	- Prevents loss of resin during backwashing - Protects downstream equipment and pumps - V type wire, non-clogging - Continuous open slot, high open area 304 stainless steel construction , corrosion resistance
		• DN 3	
		• DN 4"	

Technical Parameters

When ordering, please specify:

1. Wedge Wire Screen tube

Standard wrapped wire screen tube

2. Slot Hole


3. Profile Wire

Triangle wire

4. Support Rod

Triangle wire, round rod, flat bar, wedge wire

5. Support Rod Pitch



Wedge Wire Screen Panel

Headquarters

Web Wire Mesh Co.,Ltd.
No.12 Weier Rd.
EZD Industrial Park
Hebei, China
Tel: +86 0318 7568801
Fax: +86 0318 7568802
Website:www.webwedgewire.com

Branch

Web Wire Mesh Co.,Ltd.-SJZ
NO 2701 CYC
Shijiazhuang City
Hebei, China
Tel: +86 0311 89255081
E-mail: zhao@webwirecloth.com



Anping Web Wire Mesh Co.,Ltd.