B R O C H U R E

Starch Industry



Wedge Wire Screen for Starch Industry



over the inclined screen surface, vee type wires which are perpendicular to flow, thus enable its leading edge to 'cut' the flow and collect liquid and smaller solid particles in the processing. The much larger particles will remaining on the surface, eventually move down the screen.

Wedge screen baskets

Wedge screen baskets are custom made to fit into any existing or new starch centrifuge application. They improve starch refining by providing accurate and customised slot sizes, specific to your needs.

Introduction

The sieve bend screen and wedge wire baskets are offen to be found in the starch production factory. They are widely used for fiber removal in starch industry for dewatering and solid to liquid separation.

Sieve bend screen

Sieve bend screen is curved in profile and operates more effectively than flat screens in the same application. As the slurry flows



Idea for	Screen Size	Features & Benefits
Starch industry	 45 degree sieve bend screen 120 degree pressure screens 	 Reduced equipment and installation costs Low maintenance costs Better flow rate and finer fibre removal Wide range of applications Longer lifetime Slot sizes range from 50 µ m to 10 mm Typically made with 304, 316, 316L stainless steel

Technical Parameters

When odering, please specify:

1. Wedge Wire Screen Type

Sieve bend screen, wedge wire screen baskets

2. Slot Hole


3. Profile Wire

Triangle wire

4. Support Rod

Triangle wire, round rod, flat bar, wedge wire

5. Support Rod Pitch



Headquarters

Web Wire Mesh Co.,Ltd. No.12 Weier Rd. EZD Industrial Park Hebei, China

Tel: +86 0318 7568801 Fax: +86 0318 7568802

We b site: www. we bwe dge wire. com

Branch

Web Wire Mesh Co.,Ltd.-SJZ NO 2701 CYC Shijiazhuang City Hebei, China Tel: +86 0311 89255081

E-mail: zhao@webwirecloth.com



Anping Web Wire Mesh Co.,Ltd.